LIBER 3 PAGE 401

BILL NO. 76-136
AS AMENDED

COUNTY COUNCIL

OF

HARFORD COUNTY, MARYLAND

BILL NO. 76-136 (as amended)

Introduced by Councilman Spry

Legislative Day No. 76-41 Date: December 21, 1976

AN ~~EMERGENCY~~ ACT to provide for an increase in area connection charges for water and sewer customers of Harford County, Maryland; and to provide when said increases shall take effect.

By the Council, December 21, 1976

Introduced, read first time, ordered posted and public hearing scheduled

on: January 18, 1977

at: 7:00 P.M.

By Order: Angela Mackowski, Secretary

PUBLIC HEARING

Having been posted and Notice of time and place of hearing and Title of Bill having been published according to the Charter, a public hearing was held on January 18, 1977 and concluded on January 18, 1977.

Angela Mackowski, Secretary

BILL NO. 76-136
AS AMENDED

WHEREAS, the County Executive, upon recommendation of the Director of the Department of Public Works, has recommended that the rates for area connection charges for water and sewer customers be increased; and

WHEREAS, this Act conforms to the requirements of law for establishing such rates; and

WHEREAS, said rates are necessary to correct a serious deficit in the operation of the County water and sewer service.

NOW, THEREFORE,

Section 1. *Be It Enacted By The County Council Of Harford County Maryland*, that the water and sewer area connection rates for water and sewer service supplied by Harford County be, and they are hereby repealed, and that the following new rates for water and sewer area connection rates in Harford County, be, and they are hereby enacted to stand in lieu of the rates repealed, all to read as follows:

Area Connection Rates for Water and Sewer.

Section 1-1.

The following schedule establishes area connection rates based upon peak demands of gallons per minute; number of fixture units served at peak demand; the ratio of peak demand to thirty (30) fixture units (as a base figure) and the size of the meter.

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
20	30	1	5/8"	2,125	2,411
30	60	2	3/4"	4,250	4,822
40	90	3	1"	6,375	7,233
50	120	4	1"	8,500	9,644
62	150	5	1 1/4"	10,625	12,055
75	180	6	1 1/4"	12,750	14,466
87	210	7	1 1/2"	14,875	16,877
100	240	8	1 1/2"	17,000	19,288
105	270	9	2"	19,125	21,699
110	300	10	2"	21,250	24,110
115	330	11	2"	23,375	26,521
120	360	12	2"	25,500	28,932
125	390	13	2"	27,625	31,343
130	420	14	2"	29,750	33,754
135	450	15	2"	31,875	36,165
140	480	16	2"	34,000	38,576
145	510	17	2"	36,125	40,987
150	540	18	2"	38,250	43,398
155	570	19	2"	40,375	45,809
160	600	20	2"	42,500	48,220
164	630	21	3"	44,625	50,631
168	660	22	3"	46,750	53,042
172	690	23	3"	48,875	55,453
176	720	24	3"	51,000	57,864
180	750	25	3"	53,125	60,275

*G.P.M. = Gallons Per Minute

76-136

AS AMENDED

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
184	780	26	3"	55,250	62,686
188	810	27	3"	57,375	65,097
192	840	28	3"	59,500	67,508
196	870	29	3"	61,625	69,919
200	900	30	3"	63,750	72,330
204	930	31	3"	65,875	74,741
208	960	32	3"	68,000	77,152
212	990	33	3"	70,125	79,563
216	1,020	34	3"	72,250	81,974
220	1,050	35	3"	74,375	84,385
224	1,080	36	3"	76,500	86,796
228	1,110	37	3"	78,625	89,207
232	1,140	38	3"	80,750	91,618
236	1,170	39	3"	82,875	94,029
240	1,200	40	3"	85,000	96,440
244	1,230	41	3"	87,125	98,851
248	1,260	42	3"	89,250	101,262
252	1,290	43	3"	91,375	103,673
256	1,320	44	3"	93,500	106,084
260	1,350	45	3"	95,625	108,495
264	1,380	46	3"	97,750	110,906
268	1,410	47	3"	99,875	113,317
272	1,440	48	3"	102,000	115,728
276	1,470	49	3"	104,125	118,139
280	1,500	50	3"	106,250	120,550

*G.P.M. = Gallons Per Minute

Each Meter Connection				Lyes Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
284	1,530	51	3"	108,375	122,961
288	1,560	52	3"	110,500	125,372
292	1,590	53	3"	112,625	127,783
296	1,620	54	3"	114,750	130,194
300	1,650	55	3"	116,875	132,605
304	1,680	56	3"	119,000	135,016
308	1,710	57	3"	121,125	137,427
312	1,740	58	3"	123,250	139,838
316	1,770	59	3"	125,375	142,249
320	1,800	60	3"	127,500	144,660
324	1,830	61	4"	129,625	147,071
328	1,860	62	4"	131,750	149,482
332	1,890	63	4"	133,875	151,893
336	1,920	64	4"	136,000	154,304
340	1,950	65	4"	138,125	156,715
344	1,980	66	4"	140,250	159,126
348	2,010	67	4"	142,375	161,537
352	2,040	68	4"	144,500	163,948
356	2,070	69	4"	146,625	166,359
360	2,100	70	4"	148,750	168,770
364	2,130	71	4"	150,875	171,181
368	2,160	72	4"	153,000	173,592
372	2,190	73	4"	155,125	176,003
376	2,220	74	4"	157,250	178,414
380	2,250	75	4"	159,375	180,825

*G.P.M. = Gallons Per Minute

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
384	2,280	76	4"	161,500	183,236
388	2,310	77	4"	163,625	185,647
392	2,340	78	4"	165,750	188,058
396	2,370	79	4"	167,875	190,469
400	2,400	80	4"	170,000	192,880
404	2,430	81	4"	172,125	195,291
408	2,460	82	4"	174,250	197,702
412	2,490	83	4"	176,375	200,113
416	2,520	84	4"	178,500	202,524
420	2,550	85	4"	180,625	204,935
424	2,580	86	4"	182,750	207,346
428	2,610	87	4"	184,875	209,757
432	2,640	88	4"	187,000	212,168
436	2,670	89	4"	189,125	214,579
440	2,700	90	4"	191,250	216,990
444	2,730	91	4"	193,375	219,401
448	2,760	92	4"	195,500	221,812
452	2,790	93	4"	197,625	224,223
456	2,820	94	4"	199,750	226,634
460	2,850	95	4"	201,875	229,045
464	2,880	96	4"	204,000	231,456
468	2,910	97	4"	206,125	233,867
472	2,940	98	4"	208,250	236,278
476	2,970	99	4"	210,375	238,689
480	3,000	100	4"	212,500	241,100

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
484	3,030	101	4"	214,625	243,511
488	3,060	102	4"	216,750	245,922
492	3,090	103	4"	218,875	248,333
496	3,120	104	4"	221,000	250,744
500	3,150	105	4"	223,125	253,155
504	3,180	106	4"	225,250	255,566
508	3,210	107	4"	227,375	257,977
512	3,240	108	4"	229,500	260,388
516	3,270	109	4"	231,625	262,799
520	3,300	110	4"	233,750	265,210
524	3,330	111	4"	235,875	267,621
528	3,360	112	4"	238,000	270,032
532	3,390	113	4"	240,125	272,443
536	3,420	114	4"	242,250	274,854
540	3,450	115	4"	244,375	277,265
544	3,480	116	4"	246,500	279,676
548	3,510	117	4"	248,625	282,087
552	3,540	118	4"	250,750	284,498
556	3,570	119	4"	252,875	286,909
560	3,600	120	4"	255,000	289,320
562.5	3,630	121	4"	257,125	291,731
565.0	3,660	122	6"	259,250	294,142
567.5	3,690	123	6"	261,375	296,553
570.0	3,720	124	6"	263,500	298,964
572.5	3,750	125	6"	265,625	301,375

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 20 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
575.0	3,780	126	6"	267,750	303,786
577.5	3,810	127	6"	269,575	306,197
580.0	3,840	128	6"	272,000	308,608
582.5	3,870	129	6"	274,125	311,019
585.0	3,900	130	6"	276,250	313,430
587.5	3,930	131	6"	278,375	315,841
590.0	3,960	132	6"	280,500	318,252
592.5	3,990	133	6"	282,625	320,663
595.0	4,020	134	6"	284,750	323,074
597.5	4,050	135	6"	286,875	325,485
600.0	4,080	136	6"	289,000	327,896
602.5	4,110	137	6"	291,125	330,307
605.0	4,140	138	6"	293,250	332,718
607.5	4,170	139	6"	295,375	335,129
610.0	4,200	140	6"	297,500	337,540
612.5	4,230	141	6"	299,625	339,951
615.0	4,260	142	6"	301,750	342,362
617.5	4,290	143	6"	303,875	344,773
620.0	4,320	144	6"	306,000	347,184
622.5	4,350	145	6"	308,125	349,595
625.0	4,380	146	6"	310,250	352,006
627.5	4,410	147	6"	312,375	354,417
630.0	4,440	148	6"	314,500	356,828
632.5	4,470	149	6"	316,625	359,239
635.0	4,500	150	6"	318,750	361,650

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
637.5	4,530	151	6"	320,875	364,061
640.0	4,560	152	6"	323,000	366,472
642.5	4,590	153	6"	325,125	368,883
645.0	4,620	154	6"	327,250	371,294
647.5	4,650	155	6"	329,375	373,705
650.0	4,680	156	6"	331,500	376,116
652.5	4,710	157	6"	333,625	378,527
655.0	4,740	158	6"	335,750	380,938
657.5	4,770	159	6"	337,875	383,349
660.0	4,800	160	6"	340,000	385,760
662.5	4,830	161	6"	342,125	388,171
665.0	4,860	162	6"	344,250	390,582
667.5	4,890	163	6"	346,375	392,993
670.0	4,920	164	6"	348,500	395,404
672.5	4,950	165	6"	350,625	397,815
675.0	4,980	166	6"	352,750	400,226
677.5	5,010	167	6"	354,875	402,637
680.0	5,040	168	6"	357,000	405,048
682.5	5,070	169	6"	359,125	407,459
685.0	5,100	170	6"	361,250	409,870
687.5	5,130	171	6"	363,375	412,281
690.0	5,160	172	6"	365,500	414,692
692.5	5,190	173	6"	367,625	417,103
695.0	5,220	174	6"	369,750	419,514
697.5	5,250	175	6"	371,875	421,925

*G.P.M. = Gallons Per Minute

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
700.0	5,280	176	6"	374,000	424,336
702.5	5,310	177	6"	376,125	426,747
705.0	5,340	178	6"	378,250	429,158
707.5	5,370	179	6"	380,375	431,569
710.0	5,400	180	6"	382,500	433,980
712.5	5,430	181	6"	384,625	436,391
715.0	5,460	182	6"	386,750	438,802
717.5	5,490	183	6"	388,875	441,213
720.0	5,520	184	6"	391,000	443,624
722.5	5,550	185	6"	393,125	446,035
725.0	5,580	186	6"	395,250	448,446
727.5	5,610	187	6"	397,375	450,857
730.0	5,640	188	6"	399,500	453,268
732.5	5,670	189	6"	401,625	455,679
735.0	5,700	190	6"	403,750	458,090
737.5	5,730	191	6"	405,875	460,501
740.0	5,760	192	6"	408,000	462,912
742.5	5,790	193	6"	410,125	465,323
745.0	5,820	194	6"	412,250	467,734
747.5	5,850	195	6"	414,375	470,145
750.0	5,880	196	6"	416,500	472,556
752.5	5,910	197	6"	418,625	474,967
755.0	5,940	198	6"	420,750	477,378
757.5	5,970	199	6"	422,875	479,789
760.0	6,000	200	6"	425,000	482,200

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

LIBER 3 PAGE 411

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
762.5	6,030	201	6"	427,125	484,611
765.0	6,060	202	6"	429,250	487,022
767.5	6,090	203	6"	431,375	489,433
770.0	6,120	204	6"	433,500	491,844
772.5	6,150	205	6"	435,625	494,255
775.0	6,180	206	6"	437,750	496,666
777.5	6,210	207	6"	439,875	499,077
780.0	6,240	208	6"	442,000	501,488
782.5	6,270	209	6"	444,125	503,899
785.0	6,300	210	6"	446,250	506,310
787.5	6,330	211	6"	448,375	508,721
790.0	6,360	212	6"	450,500	511,132
792.5	6,390	213	6"	452,625	513,543
795.0	6,420	214	6"	454,750	515,954
797.5	6,450	215	6"	456,875	518,365
800.0	6,480	216	6"	459,000	520,776
802.5	6,510	217	6"	461,125	523,187
805.0	6,540	218	6"	463,250	525,598
807.5	6,570	219	6"	465,375	528,009
810.0	6,600	220	6"	467,500	530,420
812.5	6,630	221	6"	469,625	532,831
815.0	6,660	222	6"	471,750	535,242
817.5	6,690	223	6"	473,875	537,653
820.0	6,720	224	6"	476,000	540,064
822.5	6,750	225	6"	478,125	542,475

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 20 Fixture Units	Minimum Meter Size	Water Ratio x 92,125	Sewer Ratio x 32,411
$25.0	6,780	226	6"	480,250	544,896
$27.5	6,810	227	6"	482,375	547,297
$30.0	6,840	228	6"	484,500	549,708
$32.5	6,870	229	6"	486,625	552,119
$35.0	6,900	230	6"	488,750	554,530
$37.5	6,930	231	6"	490,875	556,941
$40.0	6,960	232	6"	493,000	559,352
$42.5	6,990	233	6"	495,125	561,763
$45.0	7,020	234	6"	497,250	564,174
$47.5	7,050	235	6"	499,375	566,585
$50.0	7,080	236	6"	501,500	568,996
$52.5	7,110	237	6"	503,625	571,407
$55.0	7,140	238	6"	505,750	573,818
$57.5	7,170	239	6"	507,875	576,229
$60.0	7,200	240	6"	510,000	578,640
$62.5	7,230	241	6"	512,125	581,051
$65.0	7,260	242	6"	514,250	583,462
$67.5	7,290	243	6"	516,375	585,873
$70.0	7,320	244	6"	518,500	588,284
$72.5	7,350	245	6"	520,625	590,695
$75.0	7,380	246	6"	522,750	593,106
$77.5	7,410	247	6"	524,875	595,517
$80.0	7,440	248	6"	527,000	597,928
$82.5	7,470	249	6"	529,125	600,339
$85.0	7,500	250	6"	531,250	602,750

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 20 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
887.5	7,530	251	6"	533,375	605,161
890.0	7,560	252	6"	535,500	607,572
892.5	7,590	253	6"	537,625	609,983
895.0	7,620	254	6"	539,750	612,394
897.5	7,650	255	6"	541,875	614,805
900.0	7,680	256	6"	544,000	617,216
902.5	7,710	257	6"	546,125	619,627
905.0	7,740	258	6"	548,250	622,038
907.5	7,770	259	6"	550,375	624,449
910.0	7,800	260	6"	552,500	626,860
912.5	7,830	261	6"	554,625	629,271
915.0	7,860	262	6"	556,750	631,682
917.5	7,890	263	6"	558,875	634,093
920.0	7,920	264	6"	561,000	636,504
922.5	7,950	265	6"	563,125	638,915
925.0	7,980	266	6"	565,250	641,326
927.5	8,010	267	6"	567,375	643,737
930.0	8,040	268	6"	569,500	646,148
932.5	8,070	269	6"	571,625	648,559
935.0	8,100	270	6"	573,750	650,970
937.5	8,130	271	6"	575,875	653,381
940.0	8,160	272	6"	578,000	655,792
942.5	8,190	273	6"	580,125	658,203
945.0	8,220	274	6"	582,250	660,614
947.5	8,250	275	6"	584,375	663,025

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

76-136
AS AMENDED

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
950.0	8,280	276	6"	586,500	665,436
952.5	8,310	277	6"	588,625	667,847
955.0	8,340	278	6"	590,750	670,258
957.5	8,370	279	6"	592,875	672,669
960.0	8,400	280	6"	595,000	675,080
962.5	8,430	281	6"	597,125	677,491
965.0	8,460	282	6"	599,250	679,902
967.5	8,490	283	6"	601,375	682,313
970.0	8,520	284	6"	603,500	684,724
972.5	8,550	285	6"	605,625	687,135
975.0	8,580	286	6"	607,750	689,546
977.5	8,610	287	6"	609,875	691,957
980.0	8,640	288	6"	612,000	694,368
982.5	8,670	289	6"	614,125	696,779
985.0	8,700	290	6"	616,250	699,190
987.5	8,730	291	6"	618,375	701,601
990.0	8,760	292	6"	620,500	704,012
992.5	8,790	293	6"	622,625	706,423
995.0	8,820	294	6"	624,750	708,834
997.5	8,850	295	6"	626,875	711,245
1000.0	8,880	296	6"	629,000	713,656
1002.5	8,910	297	6"	631,125	716,067
1005.0	8,940	298	6"	633,250	718,478
1007.5	8,970	299	6"	635,375	720,889
1010.0	9,000	300	6"	637,500	723,300

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $2,125	Sewer Ratio x $2,411
1012.5	9,030	301	6"	639,625	725,711
1015.0	9,060	302	6"	641,750	728,122
1017.5	9,090	303	6"	643,875	730,533
1020.0	9,120	304	6"	646,000	732,944
1022.5	9,150	305	6"	648,125	735,355
1025.0	9,180	306	6"	650,250	737,766
1027.5	9,210	307	6"	652,375	740,177
1030.0	9,240	308	6"	654,500	742,588
1032.5	9,270	309	6"	656,625	744,999
1035.0	9,300	310	6"	658,750	747,410
1037.5	9,330	311	6"	660,875	749,821
1040.0	9,360	312	6"	663,000	752,232
1042.5	9,390	313	6"	665,125	754,643
1045.0	9,420	314	6"	667,250	757,054
1047.5	9,450	315	6"	669,375	759,465
1050.0	9,480	316	6"	671,500	761,876
1052.5	9,510	317	6"	673,625	764,287
1055.0	9,540	318	6"	675,750	766,698
1057.5	9,570	319	6"	677,875	769,109
1060.0	9,600	320	6"	680,000	771,520

*G.P.M. = Gallons Per Minute

76-136
AS AMENDED

Section 1-2.

(a) Meter sizes are based upon the American Water Works Association maximum safe operating capacities with a normal pressure entering the meter.

(b) Peak instantaneous demand is based upon diversity curves for gallons per minute versus fixture units established by American Standard, National Plumbing Code, American Society of Mechanical Engineers (1955 Edition).

(1) Values beyond five hundred (500) gallons per minute are obtained by geometric extension.

(c) Utilization of Schedule. A specific area connection rate can be determined for a customer by establishing the customer's peak demand in terms of gallons per minute or the fixture unit count served at peak demand. By taking that information and locating the appropriate corresponding numbers on the schedule (next higher number used if customer's not listed), follow the schedule line for the listed area connection rate.

(d) Fixtures. Fixtures are outlets for water in the customer's structure.

(e) (1) Except as otherwise provided for by law, the rates established by this Act do not apply to those persons who already have a rate previously established by Harford County for their water or sewer connection. This Act shall also not apply where specific rates are set in a valid contract executed prior to the effective date of this Act. The rates established by this Act shall also not apply to the following petitioned projects: Dembytown Water Project #6328, Van Bibber West Sewer Project #6121, Leeswood Sewer Project #6293, and Bauers Drive Sewer Project #6306.

(2) Except as otherwise provided for by law, in all other instances, not so excluded in Subsection (1), the rates established by this Act shall apply from and after the effective

date of this Act.

SECTION 1-3. PAYMENT OF CHARGES UNDER THE PROVISIONS OF THIS ACT SHALL BE ADJUSTED UPON THE ADOPTION OF ANY NEW RATES THAT MAY BE ADOPTED WITHIN TWO (2) YEARS AFTER THE EFFECTIVE DATE OF THIS ACT.

(a) THE COUNTY SHALL EMPLOY AN ECONOMIC CONSULTANT OR FIRM TO ANALYZE THE PREVAILING AND PROJECTED SITUATION IN HARFORD COUNTY FOR THE PURPOSE OF RECOMMENDING CHARGES AND ASSESSMENTS THAT WILL EFFECTIVELY PROVIDE FOR THE RAISING OF REVENUE REQUIRED TO SUSTAIN THE COUNTY'S WATER AND SEWER SYSTEM.

(b) AFTER NEW CHARGES ARE ADOPTED, ADJUSTMENTS, IF ANY, WILL BE MADE TO THE PERSON WHO OWNS THE PROPERTY AT THE TIME THE ADJUSTMENT IS MADE.

(c) THE TREASURER SHALL DETERMINE THE METHOD OF ADJUSTMENT EXCEPT THAT A REASONABLE UNIFORM METHOD SHALL BE ADOPTED FOR A CLASS OR CLASSES OF OBLIGORS/RECIPIENTS OF THE ADJUSTMENT, IF ANY.

(d) A RATE REDUCTION UNDER THE PROVISIONS OF THIS SECTION SHALL NOT BE CONSIDERED OR EFFECTUATED DUE TO THE RECEIPT OF UNANTICIPATED REVENUES FROM ANY SOURCE.

Section-2. *And Be It Further Enacted*, that this Act is hereby declared to be an Emergency Act, necessary for the correction of a fiscal deficit in the County water and sewer service and shall take effect on the date it becomes law.

SECTION 2. *AND BE IT FURTHER ENACTED*, THAT THIS ACT SHALL TAKE EFFECT SIXTY (60) CALENDAR DAYS FROM THE DATE IT BECOMES LAW.

EFFECTIVE: April 11, 1977

76-136
AS AMENDED

BY THE COUNCIL

Read the third time.

Passed 77-3 January 18, 1977 (with amendments)

Failed of Passage _____

By order

Angela Markowski, Secretary

Sealed with the County Seal and presented to the County Executive for his approval this 19th day of January, 1977 at 3:00 o'clock P.M.

Angela Markowski, Secretary

BY THE EXECUTIVE

APPROVED:

_____
County Executive

Date _____

In accordance with Section 311 of the Charter of Harford County, Maryland, Bill No. 76-136 (as amended) is hereby vetoed in toto this eighth day of February 1977.

Charles B. Anderson
County Executive

BY THE COUNCIL

This Bill, having been passed by the yeas of at least five (5) members of the Council notwithstanding the objections of the Executive, becomes law on February 8, 1977.

Angela Markowski
Secretary of the Council

EFFECTIVE DATE: April 11, 1977

Rec'd for record 7/29 1977 at 9:00 A.M.
Same day recorded & examined, per
E. Douglas Chilcoat, Clerk

76-136
AS AMENDED